

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("3164888").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/04 13:56
L2	2	("3164888").URPN.	USPAT	OR	ON	2006/01/04 13:56
L3	7	("3164888" "3436815" "3470046" "3559899").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/04 14:03
L4	5	("3702499").URPN.	USPAT	OR	ON	2006/01/04 14:09
L5	7	"3164888"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:28
L6	0	("rossi.xa" or "rossi.xp") and emi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:28
L7	0	("rossi.xa" or "rossi.xp") and (emi or emr)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:29
L8	231	rossi.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:42
L9	0	("rossi.xa." or "rossi.xp.") and (emi or emr)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:29
L10	3	((("2718052") or ("2836744") or ("2993820")).PN.	US-PGPUB; USPAT	OR	OFF	2006/01/04 14:50
L11	1	("3702499").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/04 14:52
L12	2	((("2705282") or ("5175396")).PN.	US-PGPUB; USPAT	OR	OFF	2006/01/04 14:53
L13	3	((("2705282") or ("5175396") or ("3164888")).PN.	US-PGPUB; USPAT	OR	OFF	2006/01/04 14:54
L14	3	((("2705292") or ("5175396") or ("3164888")).PN.	US-PGPUB; USPAT	OR	OFF	2006/01/04 15:03

L15	1	("4602180").PN.	US-PGPUB; USPAT	OR	OFF	2006/01/04 15:03
L16	4743	(armature with coil with stator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:04
L17	263	16 same (electric near3 machine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:13
L18	634	(174/110R or 174/133R or 174/117R or 174/117F or 174/117FF or 174/119R or 174/dig.8 or 310/10-44MM.ccls.) and ((sleeve or tube) with (shrink or shrinking or shrinkable or shrunk or shrunken))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:26
L19	15	18 and (dynamo\$1electric\$3 or electro-dynam\$3 or (electric\$3 near2 dynam\$3)) and (coil or stator or armature or winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:18
L20	16	18 and (dynamo\$1electric\$3 or electro\$1dynam\$3 or (electric\$3 near2 dynam\$3)) and (coil or stator or armature or winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:26
L21	10	(174/110R or 174/133R or 174/117R or 174/117F or 174/117FF or 174/119R or 174/dig.8 or 310/10-44MM.ccls.) and (((sleeve or tube) with (shrink or shrinking or shrinkable or shrunk or shrunken)) with rectang\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:28
L22	198	(174/110R or 174/133R or 174/117R or 174/117F or 174/117FF or 174/119R or 174/dig.8 or 310/10-44MM.ccls.) and ((sleeve or tube) with (rectangle or rectangular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:29
L23	37	22 and (shrink or shrinking or shrinkable or shrunk or shrunken)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:30

L24	206	((electric\$2 near2 machine) or stator or (coil or winding)) and (((shrink or shrinkable or shrunk or shrinking) near3 (sleeve or tube)) with (conductor or bar))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:59
-----	-----	---	---	----	----	------------------